

	A	B	C	D	E	F	G	H	I	J	K	L
1036	THE INDIAN BOILER ACT, 1923 & THE INDIAN BOILERS AMENDMENT) ACT, 2007											
1037	Sr. No.	Name of the Statute	Section / Rules of the Statute	Heading of the Section/ Rule	Nature of compliance	Compliance Requirement	Whether complied? Yes or No	Reporting Authority	If time based compliance Due Date Actual date of compliance		Responsible Department	Responsibility (Name/ Designation)
1038	1	The Indian Boiler (Amendment) Act, 2007	Section 7	Registration	Time based	(1) The owner of any boiler which is not registered under the provisions of this Act may apply to the Inspector along with such other documents as may be prescribed by regulations to have the boiler registered. Every such application shall be accompanied by prescribed fee. (2) On receipt of an application under sub-section (1), the Inspector shall fix a date, within thirty days or such shorter period as may be prescribed from the date of the receipt, for the examination of the boiler and shall give the owner thereof not less than ten days' notice of the date so fixed. (3) On the said date the Inspector shall inspect the boiler with a view to satisfying himself that the boiler has not suffered any damage during its transit from the place or manufacture to the site of erection and forward a report of the inspection alongwith the documents to the Chief Inspector within seven days. (4) The Chief Inspector, on receipt of the report, may(a) register the boiler and assign a register number thereto either forthwith or after satisfying himself that any structural alteration, addition or renewal which he may deem necessary has been made in or to the boiler or any steam-pipe attached thereto, or (b) refuse to register the boiler. Provided that where the Chief Inspector refuses to register a boiler, he shall forthwith communicate his refusal to the owner of the boiler together with the reasons therefor. (5) The Chief Inspector shall, on registering the boiler, order the issue to the owner of a certificate in the prescribed form authorising the		Inspector			Inspection	HOD of the department
1039	2	The Indian Boiler (Amendment) Act, 2007	Section 8	Renewal of Certificate.	Ongoing	(1) A certificate authorising the use of a boiler shall cease to be in force: (a) on the expiry of the period for which it was granted; or (b) when any accident occurs to the boiler; or (c) when the boiler is moved, the boiler not being a vertical boiler the heating surface of which is less than 20 square metres, or a portable or vehicular boiler; or (d) save as provided in Section 12, when any structural alteration, addition or renewal is made in or to the boiler; or (e) if the Chief		Competent Person	As soon as the situation arises.		Inspection	HOD of the department
1040	3	The Indian Boiler Act, 1923	Section 12	Alterations and renewal to boilers	Ongoing	No structural alteration, addition or renewal shall be made in or to any boiler registered under this Act unless such alteration, addition or renewal has been sanctioned in writing by the Chief inspector. Provided that no such sanction is required where the structural alteration, addition or renewal is made under the supervision of a Competent Person.		Chief Inspector	N.A.		Inspection	HOD of the department
1041	4	The Indian Boiler Act, 1923	Section 13	Alteration or renewals of boiler component.	Ongoing	(1) Before the owner of any boiler registered under this Act makes any structural alteration, addition or renewal in or to any boiler component attached to the boiler, he shall transmit to the Chief Inspector a report in writing of his intention and send therewith such particulars of proposed alteration, addition or renewal as may be prescribed by regulations. (2) Any structural alteration, addition or renewal referred to in subsection (1) shall be made by a person possessing a Boiler Repairer certificate under the supervision of the Competent Person.		Chief Inspector	N.A.		Inspection	HOD of the department
1042	5	The Indian Boiler Act, 1923	Section 14	Duty of owner at examination	Event based	(1) On any date fixed under this Act for the examination of a boiler, the owner thereof shall be bound- (a) to afford to the Competent Person all reasonable facilities for the examination and all such information as may reasonably be required of him; (b) to have the boiler properly prepared and ready for examination in the manner prescribed by regulations; and		Chief Inspector	N.A.		Inspection	HOD of the department
1043	6	The Indian Boiler Act, 1923	Section 18	Report of accidents	Event based	(1) If any accident occurs to a boiler or boiler competent, the owner or person in charge thereof shall within twenty-four hours of the accident, report the same in writing to the Inspector. Every such report shall contain a true description of the nature of a accident and of the injury, if any, caused thereby to the boiler or to the boiler competent or to any person, and shall be insufficient detail to enable the Inspector to judge of the gravity of the accident. (2) Every person shall be bound to answer truly to the best of his knowledge and ability every question put to him in writing by the Inspector as to the cause, nature or extent of the accident. (3) Without prejudice to the provisions of sub-section (1), where any death has resulted due to any accident, an inquiry may be conducted by such person and in such manner as may be prescribed by the Central Government.		Inspector	N.A.		Inspection	HOD of the department
1044	7	The Indian Boiler Act, 1923	Section 22	Minor penalties	Penalties	Any owner of a boiler who refuses or without reasonable excuse neglects (i) to surrender a provisional order as required by section 9, or (ii) to produce a certificate or provisional order when duly called upon to do so under section 15, or (iii) to make over to the new owner of a boiler a certificate or provisional order as required by section 16, shall be punishable with fine which may extend to five thousand rupees		N.A	N.A		Inspection	HOD of the department
1045	8	The Indian Boiler Act, 1923	Section 23	Penalties for illegal use of boiler	Penalties	Any owner of a boiler who, in any case in which a certificate or provisional order is required for the use of the boiler under this Act, uses the boiler either without any such certificate or order being in force or at a higher pressure than that allowed thereby, shall be punishable with fine which may extend to one lakh rupees, and, in the case of a continuing offence, with an additional fine which may extend to one thousand rupees for each day after the first day in regard to which he is convicted of having persisted in the offence.		N.A	N.A		Inspection	HOD of the department
1046	9	The Indian Boiler Act, 1923	Section 25	Penalty for tampering with register mark	Penalties	(1) Whoever removes, alters, defaces, renders invisible or otherwise tampers with the register number marked on a boiler in accordance with the provisions of this Act or any Act repealed hereby, shall be punishable with fine which may extend to one lakh rupees. (2) Whoever fraudulently marks upon a boiler a register number which has not been allotted to it under this Act or any Act repealed hereby, shall be punishable with imprisonment which may extend to two years, or with fine which may extend to one lakh rupees or with both.		N.A	N.A		Inspection	HOD of the department
1047	10	The Indian Boiler Act, 1923	Section 30	Penalty for breach of rules	Penalties	Any regulation or rule made under section 28 or section 29 may direct that a person contravening such regulation or rule shall be punishable, in the case of a first offence, with fine which may extend to one thousand rupees, and in the case of any subsequent offence, with fine which may extend to one lakh rupees.		N.A	N.A		Inspection	HOD of the department
1048	[1] Competent Person means a person recognized in such manner as may be prescribed by regulations for inspection and certification of boilers and boiler components during manufacture, erection and use. All Inspectors shall be ipso facto competent persons.											
1049												